
SAFETY DATA SHEET

CONCENTRATE



BIOSAFE™ FOG

| Product: | BioSafe F.O.G. [®] Fats, Oil & Grease Microbial Cleaner | Product Number: |
|------------------------------|--|-----------------|
| Name: | BioSafe F.O.G. [®] Fats, Oil & Grease Microbial Cleaner | |
| Recommended Use: | Microbial preparation Cleaner. | |
| <u>Uses Advised Against:</u> | Other than per labelled instructions | |
| Manufacturer Address: | | |
| Suface Cleaning Innovation | , LLC | |
| 10445 Cogdill Road | | |
| Knoxville, TN 37932 | | |
| Telephone: 1-865-343-071 | 2 | |
| Email: info@sciclean.com | | |
| Internet: www.sciclean.cor | n | |

Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

| 2: HAZARDS IDENTIFICATION | |
|---------------------------|--|
| Classification: | Serious eye damage: Category 1 |
| Signal Word: | Danger |
| <u>Pictogram:</u> | |
| Hazard Statements: | H318 Causes serious eye damage |
| Precautionary Statements: | |
| | Prevention: |
| | P280 Wear eye protection/ face protection. |
| | Response: |
| | P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with |
| | water for several minutes. Remove contact lenses, if present |
| | and easy to do. Continue rinsing. Immediately call a POISON |
| | CENTER/ doctor. |
| Other Hazards: | None Known |
| Supplemental Information: | None |
| | |

3: COMPOSITION/INFORMATION ON INGREDIENTS

| Substance/Mixture : Mixture | | |
|---|------------|-----------|
| Ingredient | CAS Number | Weight %* |
| Benzenesulfonic acid, C10-16-alkyl derivs | 68584-22-5 | 10 - 20% |
| Tetrasodium ethylenediaminetetraacetate | 64-02-8 | 1 - 5% |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | 1 - 5% |

* Exact concentration of the ingredients has been withheld as a trade secret.

4: FIRST AID MEASURES

Redefining clean

DESCRIPTION OF FIRST AID MEASURES:

| | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|--------------------------|---|
| If inhaled : | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact: | If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. |

| spital. Remove contact lenses. |
|--|
| |
| while rinsing. If eye irritation persists, consult a specialist. |
| omiting without medical advice. |
| er give anything by mouth to an unconscious person. |
| |
| v |

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

| Unsuitable extinguishing media : | High volume water jet. |
|--|---|
| Specific hazards during firefighting : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products: | Carbon oxides, Sulfur oxides, Nitrogen oxides (NOx) |
| Further information : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters : | Wear self-contained breathing apparatus for firefighting if necessary. |

| 6: ACCIDENTAL RELEASE MEASUR | -3: |
|--------------------------------|--|
| Personal Precautions: | Use personal protective equipment. |
| Environment Precautions: | Collect spillage. |
| CONTAINMENT AND CLEAN-UP: | |
| Methods and materials for | Soak up with inert absorbent material (e.g. sand, silica gel, |
| containment and cleaning up: | acid binder, universal binder, sawdust). |
| | Keep in suitable, closed containers for disposal. |
| 7: HANDLING AND STORAGE | |
| Precautions for Safe Handling: | Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see |
| | section 8. |
| | Smoking, eating and drinking should be prohibited in the application area. |
| | To avoid spills during handling keep bottle on a metal tray. |
| | Dispose of rinse water in accordance with local and national |
| | regulations. |
| Conditions for Safe Storage: | Keep container tightly closed in a dry and well-ventilated |
| | place. Containers which are opened must be carefully resealed and |
| | kept upright to prevent leakage. |
| | Electrical installations / working materials must comply with |
| | the technological safety standards. |
| Advice on protection against | Normal measures for preventive fire protection. |
| fire and explosion : | |
| | |

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

| Personal protective equipment | <u>nt</u> | |
|-------------------------------|--|-------|
| Respiratory protection : | General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134 use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure |) and |
| | supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. | |
| Hand protection Remarks : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. | |
| Eye protection : | Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. | |
| Skin and body protection : | Impervious clothing Choose body protection according to the amount and concen tration of the dangerous substance at the work place. | Page |

| Appearance: | Liquid |
|----------------------------------|--------------------|
| Odor: | Data not available |
| Odor Threshold: | Data not available |
| pH: | Data not available |
| Freezing Point: | Data not available |
| Boiling Point: | Data not available |
| Flash Point: | > 100 °C (212 °F) |
| Evaporation Rate: | Data not available |
| Flammability (solid/gas): | Data not available |
| Upper/Lower Flammability Limits: | Data not available |
| Vapor Pressure: | Data not available |
| Vapor Density: | Data not available |
| Relative Density: | 1.009 |
| Solubility: | Data not available |
| Partition Coefficient: | Data not available |
| Auto Ignition Temperature: | Data not available |
| Decomposition Temperature: | Data not available |
| Viscosity: | Data not available |
| VOC: | Data not available |

10: STABILITY AND REACTIVITY Reactivity: No dangerous reaction known under conditions of normal use. Stability: Stable under normal conditions. Hazardous Reactions: No decomposition if stored and applied as directed Conditions to Avoid: No data available Incompatible Materials: Acids, Aluminum, Bases, Halogens, Oxidizing agents. 11: TOXICOLOGICAL INFORMATION

| Acute toxicity | |
|------------------------------------|---|
| Product: | |
| Acute oral toxicity : | Acute toxicity estimate: > 5,000 mg/kg |
| Acute inhalation toxicity : | Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapour |
| Acute dermal toxicity : | Acute toxicity estimate: > 5,000 mg/kg |
| <u>Components :</u> 68584-22-5: | |
| Acute oral toxicity : | Assessment: The component/mixture is moderately toxic after single ingestion. |
| Acute inhalation toxicity : | LC50 (Rat, male and female): > 1.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation. |
| Acute dermal toxicity : | Assessment: The component/mixture is moderately toxic after single contact with skin. Remarks: Based on data from similar materials |
| 64-02-8: | |
| Acute oral toxicity : | LD50 (Rat): 630 mg/kg Assessment: The component/mixture is moderately toxic after |
| | single ingestion. |
| Acute inhalation toxicity : | LC50 (Rat): 10 mg/l Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic |
| | after short term inhalation. |
| Acute dermal toxicity : | Remarks: No data available |
| 68439-46-3: | |
| Acute oral toxicity : | Assessment: The component/mixture is moderately toxic after single ingestion. |
| Acute inhalation toxicity : | Remarks: No data available |
| Acute dermal toxicity : | LD50 (Rat): > 2,000 mg/kg |
| Skin corrosion/irritation | |
| Components: | |
| 64-02-8: | |
| Species: Rabbit | |
| Result: No skin irritation | |
| 68439-46-3: | |
| Result: No skin irritation | |
| Remarks: Based on data from | |
| similar materials | |
| Serious eye damage/eye | |
| irritation | |
| Components: | |
| 68584-22-5: | |
| Species: Rabbit | |
| Result: Irritating to eyes. | |
| 64-02-8: | |
| Species: Rabbit | |
| Result: Risk of serious damage | |
| to eyes. | |
| 68439-46-3: | |
| Species: Rabbit | |
| Result: Risk of serious damage | |
| to eyes. | |
| Respiratory or skin | |
| sensitisation | |
| Components: | |
| 64-02-8: | |
| Species: Guinea pig | |
| Result: Did not cause | |
| sensitisation on laboratory | |
| animals | |
| 68439-46-3: | |
| Test Type: Maximization test | |

Species: Guinea pig

| Result: Did not cause | |
|---|--|
| sensitisation on laboratory | |
| animals Germ cell mutagenicity | |
| Components: | |
| 64-02-8: | |
| Germ cell mutagenicity - | Tests on bacterial or mammalian cell cultures did not show |
| Assessment: | mutagenic effects |
| 68439-46-3: | |
| Genotoxicity in vitro : | Test Type: Ames test |
| | Species: Salmonella |
| | typhimurium |
| | Result: negative |
| Germ cell mutagenicity - | Mutagenicity classification not |
| Assessment : | possible from current data |
| Carcinogenicity | |
| Components: | |
| 64-02-8: | |
| | No evidence of carcinogenicity in |
| Carcinogenicity - Assessment: | animal studies. |
| 68439-46-3: | 1 |
| | Carcinogenicity classification not |
| Carcinogenicity - Assessment: | possible from current data. |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, |
| | possible or confirmed human carcinogen by IARC. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated |
| | carcinogens. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or |
| Reproductive toxisity | anticipated carcinogen by NTP. |
| Reproductive toxicity Components: | |
| 64-02-8: | |
| 04-02-8. | |
| Teratogenicity - Assessment: | No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments. |
| 68439-46-3: | |
| Reproductive toxicity - | Fertility classification not possible from |
| Assessment: | current data. |
| T | For her states the sheet first the metric south to form a summary data. |
| Teratogenicity - Assessment: Aspiration toxicity | Embryotoxicity classification not possible from current data. |
| • • | |
| Components: 64-02-8: | |
| No aspiration toxicity classification | tion |
| Further information | |
| Product: | |
| Remarks: No data available | |

12: ECOLOGICAL INFORMATION

| <u>Ecotoxicity</u> Components: | |
|-----------------------------------|--|
| <u>64-02-8:</u> | |
| Toxicity to fish: | LC50 (Lepomis macrochirus (Bluegill sunfish)): 486 mg/l |
| | Exposure time: 96 h |
| | Test Type: static test |
| Toxicity to daphnia and other | LC50 (Daphnia magna (Water flea)): 625 mg/l |
| aquatic invertebrates : | Exposure time: 24 h |
| | Test Type: static test |
| Toxicity to algae : | EC50 (Desmodesmus subspicatus (green algae)): 2.77 mg/l |
| | End point: Growth rate |
| | Exposure time: 72 h |
| | Test Type: static test |
| Acute aquatic toxicity- | |
| Assessment : | Toxic to aquatic life |
| Chronic aquatic toxicity- | |
| Assessment : | Toxic to aquatic life with long lasting effects. |
| <u>68439-46-3:</u> | |
| Toxicity to fish : | LC50 (Pimephales promelas (fathead minnow)): 12 mg/l Exposure time: 96 h |

| Toxicity to daphnia and other | EC50 (Daphnia magna (Water flea)): 5.4 mg/l | |
|--|---|--|
| aquatic invertebrates : | Exposure time: 48 h | |
| Toxicity to algae : | ErC50 (Desmodesmus subspicatus (green algae)): > 8.9 mg/l | |
| | Exposure time: 72 h | |
| Acute aquatic toxicity- | | |
| Assessment : | Very toxic to aquatic life. | |
| Chronic aquatic toxicity- | | |
| Assessment : | Harmful to aquatic life with long lasting effects | |
| Persistence and degradability | | |
| Components: | | |
| 68439-46-3: | | |
| Biodegradability : | Remarks: Readily biodegradable, according to appropriate OECD test. | |
| Bioaccumulative potential | | |
| No data available | | |
| Mobility in soil | | |
| No data available | | |
| Other adverse effects | | |
| Product: | | |
| Ozone-Depletion Potential : | Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 | |
| | Class I Substances | |
| | Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the | |
| | U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). | |
| Additional ecological | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. | |
| information : | Toxic to aquatic life. | |
| | Harmful to aquatic life with long lasting effects. | |
| | | |
| 13: DISPOSAL CONSIDERATIONS | | |
| Disposal of this material should be in accordance with local, regional and national regulations. | | |
| Waste from residues : | Dispose of in accordance with all applicable local, state and federal regulations. | |
| | For assistance with your waste management needs, contact Microbial Restoration Services | |
| | LLC-Infotrac 1-800-535-5350. | |

Dispose of as unused product. Do not re-use empty containers.

Contaminated packaging :

14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation. **DOT (Department of Transportation):** Not regulated as a dangerous good **IATA (International Air Transport Association):** Not regulated as a dangerous good **IMDG-Code:** Not regulated as a dangerous good

Empty remaining contents.

15: REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

This material does not contain any components with a section 302 EHS TPQ.

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

SARA 302 :

SARA 313 :

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A. This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3. This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know No components are subject to the Massachusetts Right to Know Act.


| 7732-18-5 | Water |
|---|---|
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivs. |
| Not Assigned | Proprietary component of NOVO MAC 10X FF |
| 68439-46-3 | Alcohols, C9-11, ethoxylated |
| California Prop 65 | This product does not contain any chemicals known to State of California to cause cancer, birth defects, or |
| | any other reproductive harm. |
| The components of this product are reported in the following inventories: | |
| TSCA : | On TSCA Inventory |
| DSL : | All components of this product are on the Canadian DSL |
| AICS : | Not in compliance with the inventory |
| NZIOC : | not determined |
| ENCS : | Not in compliance with the inventory |
| KECI : | Not in compliance with the inventory |
| PICCS : | Not in compliance with the inventory |
| IECSC : | Not in compliance with the inventory |

16: OTHER INFORMATION

Abbreviations Used: N/A - Not Applicable N/E - Not Established N/L - Not Listed

Revision Information:

Jan. 5, 2020 - SDS issue



Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

IMPORTANT SAFETY INFORMATIONDO NOT DISCARD**PLEASE ROUTE TO COMPANY SAFETY OFFICER**